



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

Holder of Attestation: **Trina Solar Co., Ltd.**

No. 2 TianHe Road, Trina PV Industrial Park
New District
213031 Changzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Product:

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Mono & Poly Crystalline Silicon Photovoltaic (PV) Module(s)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 64290170581766

Date, 2024-02-22

(Zhulin Zhang)

Page 1 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

Model(s):

mono series with 157 x 157 (mm) and 156.75 x 156.75 (mm) solar cells:

72 cells:

TSM-xxxDEG14(II), TSM-xxxDEG14.05(II), TSM-xxxDEG14.25(II),
TSM-xxxDEG14.07(II), TSM-xxxDEG14.20(II),
TSM-xxxDEG14.27(II), TSM-xxxDEG14.28(II),
TSM-xxxDEG14.29(II), TSM-xxxDEG14.40(II),
TSM-xxxDEG14.47(II) (xxx=330-390, in steps of 5).

60 cells:

TSM-xxxDEG5(II), TSM-xxxDEG5.05(II), TSM-xxxDEG5.25(II), TSM-
xxxDEG5.07(II), TSM-xxxDEG5.20(II), TSM-xxxDEG5.27(II), TSM-
xxxDEG5.28(II), TSM-xxxDEG5.29(II), TSM-xxxDEG5.40(II), TSM-
xxxDEG5.47(II) (xxx=275-325, in steps of 5).

mono series with 158.75 x 158.75 (mm) solar cells:

72 cells:

TSM-xxxDEG15(II), TSM-xxxDEG15.05(II), TSM-xxxDEG15.25(II), TSM-
xxxDEG15.07(II), TSM-xxxDEG15.20(II),
TSM-xxxDEG15.27(II), TSM-xxxDEG15.28(II),
TSM-xxxDEG15.29(II), TSM-xxxDEG15.40(II),
TSM-xxxDEG15.47(II) (xxx=330-380, in steps of 5).

60 cells:

TSM-xxxDEG6(II), TSM-xxxDEG6.05(II), TSM-xxxDEG6.25(II), TSM-
xxxDEG6.07(II), TSM-xxxDEG6.20(II), TSM-xxxDEG6.27(II), TSM-
xxxDEG6.28(II), TSM-xxxDEG6.29(II), TSM-xxxDEG6.40(II), TSM-
xxxDEG6.47(II) (xxx=275-315, in steps of 5).

mono series with 157 x 157 (mm) bifacial cell:

72 cells:

TSM-xxxDEG14C(II), TSM-xxxDEG14C.05(II),
TSM-xxxDEG14C.25(II), TSM-xxxDEG14C.07(II),
TSM-xxxDEG14C.20(II), TSM-xxxDEG14C.27(II),
TSM-xxxDEG14C.28(II), TSM-xxxDEG14C.29(II)
(xxx=335-370, in steps of 5).

60 cells:

TSM-xxxDEG5C(II), TSM-xxxDEG5C.05(II),
TSM-xxxDEG5C.25(II), TSM-xxxDEG5C.07(II),
TSM-xxxDEG5C.20(II), TSM-xxxDEG5C.27(II),
TSM-xxxDEG5C.28(II), TSM-xxxDEG5C.29(II)
(xxx=285-305, in steps of 5).

mono series with 158.75 x 158.75 (mm) bifacial cell:

72 cells:

TSM-xxxDEG15C(II), TSM-xxxDEG15C.05(II),
TSM-xxxDEG15C.25(II), TSM-xxxDEG15C.07(II),
TSM-xxxDEG15C.20(II), TSM-xxxDEG15C.27(II),
TSM-xxxDEG15C.28(II), TSM-xxxDEG15C.29(II)
(xxx=335-350, in steps of 5).

60 cells:

TSM-xxxDEG6C(II), TSM-xxxDEG6C.05(II),
TSM-xxxDEG6C.25(II), TSM-xxxDEG6C.07(II),
TSM-xxxDEG6C.20(II), TSM-xxxDEG6C.27(II),
TSM-xxxDEG6C.28(II), TSM-xxxDEG6C.29(II)
(xxx=285-295, in steps of 5).

Page 2 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking.

The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

mono series with 157 x 78.5 (mm) half cutting cell:

144 cells:

TSM-xxxDEG14H(II), TSM-xxxDEG14H.05(II),
TSM-xxxDEG14H.25(II), TSM-xxxDEG14H.07(II),
TSM-xxxDEG14H.20(II), TSM-xxxDEG14H.27(II),
TSM-xxxDEG14H.28(II), TSM-xxxDEG14H.29(II),
TSM-xxxDEG14H.40(II), TSM-xxxDEG14H.47(II)
(xxx=345-395, in steps of 5).

120 cells:

TSM-xxxDEG5H(II), TSM-xxxDEG5H.05(II),
TSM-xxxDEG5H.25(II), TSM-xxxDEG5H.07(II),
TSM-xxxDEG5H.20(II), TSM-xxxDEG5H.27(II),
TSM-xxxDEG5H.28(II), TSM-xxxDEG5H.29(II),
TSM-xxxDEG5H.40(II), TSM-xxxDEG5H.47(II)
(xxx=290-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting cell:

144 cells:

TSM-xxxDEG15H(II), TSM-xxxDEG15H.05(II),
TSM-xxxDEG15H.25(II), TSM-xxxDEG15H.07(II),
TSM-xxxDEG15H.20(II), TSM-xxxDEG15H.27(II),
TSM-xxxDEG15H.28(II), TSM-xxxDEG15H.29(II),
TSM-xxxDEG15H.40(II), TSM-xxxDEG15H.47(II)
(xxx=380-410, in steps of 5).

120 cells:

TSM-xxxDEG6H(II), TSM-xxxDEG6H.05(II),
TSM-xxxDEG6H.25(II), TSM-xxxDEG6H.07(II),
TSM-xxxDEG6H.20(II), TSM-xxxDEG6H.27(II),
TSM-xxxDEG6H.28(II), TSM-xxxDEG6H.29(II),
TSM-xxxDEG6H.40(II), TSM-xxxDEG6H.47(II)
(xxx=310-340, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting MBB cell:

144 cells:

TSM-xxxDEG14M(II), TSM-xxxDEG14M.05(II),
TSM-xxxDEG14M.25(II), TSM-xxxDEG14M.07(II),
TSM-xxxDEG14M.20(II), TSM-xxxDEG14M.27(II),
TSM-xxxDEG14M.28(II), TSM-xxxDEG14M.29(II),
TSM-xxxDEG14M.40(II), TSM-xxxDEG14M.47(II)
(xxx=345-385, in steps of 5).

120 cells:

TSM-xxxDEG5M(II), TSM-xxxDEG5M.05(II),
TSM-xxxDEG5M.25(II), TSM-xxxDEG5M.07(II),
TSM-xxxDEG5M.20(II), TSM-xxxDEG5M.27(II),
TSM-xxxDEG5M.28(II), TSM-xxxDEG5M.29(II),
TSM-xxxDEG5M.40(II), TSM-xxxDEG5M.47(II)
(xxx=290-320, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB cells:

144 cells:

TSM-xxxDEG15M(II), TSM-xxxDEG15M.07(II),
TSM-xxxDEG15M.20(II), TSM-xxxDEG15M.07(II),
TSM-xxxDEG15M.20(II), TSM-xxxDEG15M.27(II),
TSM-xxxDEG15M.28(II), TSM-xxxDEG15M.29(II),
TSM-xxxDEG15M.40(II), TSM-xxxDEG15M.47(II)

Page 3 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

(xxx=350-420, in steps of 5).

120 cells:

TSM-xxxDEG6M(II), TSM-xxxDEG6M.05(II),
TSM-xxxDEG6M.25(II), TSM-xxxDEG6M.07(II),
TSM-xxxDEG6M.20(II), TSM-xxxDEG6M.27(II),
TSM-xxxDEG6M.28(II), TSM-xxxDEG6M.29(II),
TSM-xxxDEG6M.40(II), TSM-xxxDEG6M.47(II)

(xxx=295-350, in steps of 5).

mono series with 166.0 x 83.0 (mm) half cutting MBB cells:

144 cells:

TSM-xxxDEG17M(II), TSM-xxxDEG17M.07(II),
TSM-xxxDEG17M.25(II), TSM-xxxDEG17M.07(II),
TSM-xxxDEG17M.20(II), TSM-xxxDEG17M.27(II),
TSM-xxxDEG17M.28(II), TSM-xxxDEG17M.29(II),
TSM-xxxDEG17M.40(II), TSM-xxxDEG17M.47(II)

(xxx=425-460, in steps of 5).

120 cells:

TSM-xxxDEG8M(II), TSM-xxxDEG8M.05(II),
TSM-xxxDEG8M.25(II), TSM-xxxDEG8M.07(II),
TSM-xxxDEG8M.20(II), TSM-xxxDEG8M.27(II),
TSM-xxxDEG8M.28(II), TSM-xxxDEG8M.29(II),
TSM-xxxDEG8M.40(II), TSM-xxxDEG8M.47(II)

(xxx=355-380, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting bifacial cell:

144 cells:

TSM-xxxDEG14HC(II), TSM-xxxDEG14HC.05(II),
TSM-xxxDEG14HC.25(II), TSM-xxxDEG14HC.07(II),
TSM-xxxDEG14HC.20(II), TSM-xxxDEG14HC.27(II),
TSM-xxxDEG14HC.28(II), TSM-xxxDEG14HC.29(II)

(xxx=350-395, in steps of 5).

120 cells:

TSM-xxxDEG5HC(II), TSM-xxxDEG5HC.05(II),
TSM-xxxDEG5HC.25(II), TSM-xxxDEG5HC.07(II),
TSM-xxxDEG5HC.20(II), TSM-xxxDEG5HC.27(II),
TSM-xxxDEG5HC.28(II), TSM-xxxDEG5HC.29(II)

(xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting bifacial cell:

144 cells:

TSM-xxxDEG15HC(II), TSM-xxxDEG15HC.05(II),
TSM-xxxDEG15HC.25(II), TSM-xxxDEG15HC.07(II),
TSM-xxxDEG15HC.20(II), TSM-xxxDEG15HC.27(II),
TSM-xxxDEG15HC.28(II), TSM-xxxDEG15HC.29(II)

(xxx=350-410, in steps of 5).

120 cells:

TSM-xxxDEG6HC(II), TSM-xxxDEG6HC.05(II),
TSM-xxxDEG6HC.25(II), TSM-xxxDEG6HC.07(II),
TSM-xxxDEG6HC.20(II), TSM-xxxDEG6HC.27(II),
TSM-xxxDEG6HC.28(II), TSM-xxxDEG6HC.29(II)

(xxx=295-340, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting MBB bifacial cell:

144 cells:

Page 4 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking.

The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

TSM-xxxDEG14MC(II), TSM-xxxDEG14MC.05(II),
TSM-xxxDEG14MC.25(II), TSM-xxxDEG14MC.07(II),
TSM-xxxDEG14MC.20(II), TSM-xxxDEG14HMC.20(II),
TSM-xxxDEG14MC.27(II), TSM-xxxDEG14MC.28(II),
TSM-xxxDEG14MC.29(II) (xxx=350-395, in steps of 5).

120 cells:

TSM-xxxDEG5MC(II), TSM-xxxDEG5MC.05(II), TSM-xxxDEG5MC.25(II),
TSM-xxxDEG5MC.07(II), TSM-xxxDEG5MC.20(II), TSM-
xxxDEG5MC.27(II), TSM-xxxDEG5MC.28(II), TSM-xxxDEG5MC.29(II)
(xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting bifacial cell:

144 cells:

TSM-xxxDEG15MC(II), TSM-xxxDEG15MC.05(II), TSM-
xxxDEG15MC.25(II), TSM-xxxDEG15MC.07(II), TSM-
xxxDEG15MC.20(II), TSM-xxxDEG15MC.27(II), TSM-
xxxDEG15MC.28(II), TSM-xxxDEG15MC.29(II)

(xxx=350-425, in steps of 5).

120 cells:

TSM-xxxDEG6MC(II), TSM-xxxDEG6MC.05(II), TSM-xxxDEG6MC.25(II),
TSM-xxxDEG6MC.07(II), TSM-xxxDEG6MC.20(II), TSM-
xxxDEG6MC.27(II), TSM-xxxDEG6MC.28(II), TSM-xxxDEG6MC.29(II)
(xxx=295-350, in steps of 5).

mono series with 166.0 x 83.0 (mm) half cutting bifacial cell:

144 cells:

TSM-xxxDEG17MC(II), TSM-xxxDEG17MC.05(II), TSM-
xxxDEG17MC.25(II), TSM-xxxDEG17MC.07(II), TSM-
xxxDEG17MC.20(II), TSM-xxxDEG17MC.27(II), TSM-
xxxDEG17MC.28(II), TSM-xxxDEG17MC.29(II)

(xxx=425-460, in steps of 5).

120 cells:

TSM-xxxDEG8MC(II), TSM-xxxDEG8MC.05(II), TSM-xxxDEG8MC.25(II),
TSM-xxxDEG8MC.07(II), TSM-xxxDEG8MC.20(II), TSM-
xxxDEG8MC.27(II), TSM-xxxDEG8MC.28(II), TSM-xxxDEG8MC.29(II)
(xxx=355-380, in steps of 5).

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:

150 cells:

TSM-xxxDEG18MC(II), TSM-xxxDEG18MC.05(II),
TSM-xxxDEG18MC.25(II), TSM-xxxDEG18MC.07(II),
TSM-xxxDEG18MC.20(II), TSM-xxxDEG18MC.27(II),
TSM-xxxDEG18MC.28(II), TSM-xxxDEG18MC.29(II),
TSM-xxxDEG18MC.20W(II) (xxx=460-510, in steps of 5).

120 cells:

TSM-xxxDEG9C.20, TSM-xxxDEG9C.25,
TSM-xxxDEG9C.27, TSM-xxxDEG9C.28,
TSM-xxxDEG9C.29

(xxx=370-405, in steps of 5).

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

150 cells:

TSM-xxxDEG18M(II), TSM-xxxDEG18M.05(II),
TSM-xxxDEG18M.25(II), TSM-xxxDEG18M.07(II),

Page 5 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking.

The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

TSM-xxxDEG18M.20(II), TSM-xxxDEG18M.27(II),
TSM-xxxDEG18M.28(II), TSM-xxxDEG18M.29(II)
(xxx=460-510, in steps of 5).

120 cells:

TSM-xxxDEG9.20, TSM-xxxDEG9.25,
TSM-xxxDEG9.27, TSM-xxxDEG9.28,
TSM-xxxDEG9.29

(xxx=370-405, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB bifacial cell
(for cells splicing technology):

156 cells:

TSM-xxxDEG17XC.25(II), TSM-xxxDEG17XC.20(II),
TSM-xxxDEG17XC.27(II), TSM-xxxDEG17XC.28(II),
TSM-xxxDEG17XC.29(II) (xxx=445-490, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB bifacial cell
(for cells splicing technology)

(Module Type for rear side with white EVA or Glass white):

156 cells:

TSM-xxxDEG17X.25(II), TSM-xxxDEG17X.20(II),
TSM-xxxDEG17X.27(II), TSM-xxxDEG17X.28(II),
TSM-xxxDEG17X.29(II) (xxx=445-490, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:

120 cells:

TSM-xxxDEG20C.20, TSM-xxxDEG20C.25,
TSM-xxxDEG20C.27, TSM-xxxDEG20C.28,
TSM-xxxDEG20C.29, TSM-xxxDEG20C.20W
TSM-xxxDEG20C.28W, TSM-xxxDEG20C.70,
(xxx=570-610, in steps of 5).

110 cells:

TSM-xxxDEG19C.20, TSM-xxxDEG19C.25,
TSM-xxxDEG19C.27, TSM-xxxDEG19C.28,
TSM-xxxDEG19C.29, TSM-xxxDEG19C.20W
(xxx=525-555, in steps of 5).

132 cells:

TSM-xxxDEG21C.20, TSM-xxxDEG21C.25,
TSM-xxxDEG21C.27, TSM-xxxDEG21C.28,
TSM-xxxDEG21C.29, TSM-xxxDEG21C.20W,
TSM-xxxDEG21C.70

(xxx=625-675, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

120 cells:

TSM-xxxDEG20.20, TSM-xxxDEG20.25,
TSM-xxxDEG20.27, TSM-xxxDEG20.28,
TSM-xxxDEG20.29 (xxx=575-605, in steps of 5).

110 cells:

TSM-xxxDEG19.20, TSM-xxxDEG19.25,
TSM-xxxDEG19.27, TSM-xxxDEG19.28,
TSM-xxxDEG19.29 (xxx=525-555, in steps of 5).

mono series with 182.0 x 91.0/91.875 (mm) half cutting MBB bifacial

Page 6 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

cell:

144 cells:

TSM-xxxDEG18C.20, TSM-xxxDEG18C.25,
TSM-xxxDEG18C.27, TSM-xxxDEG18C.28,
TSM-xxxDEG18C.29, TSM-xxxDEG18C.20W
(xxx=520-555, in steps of 5).

120 cells:

TSM-xxxDEG10C.20, TSM-xxxDEG10C.25,
TSM-xxxDEG10C.27, TSM-xxxDEG10C.28,
TSM-xxxDEG10C.29 (xxx=425-450, in steps of 5).

mono series with 182.0 x 91.0/91.875 (mm) half cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

144 cells:

TSM-xxxDEG18.20, TSM-xxxDEG18.25,
TSM-xxxDEG18.27, TSM-xxxDEG18.28,
TSM-xxxDEG18.29 (xxx=520-555, in steps of 5).

120 cells:

TSM-xxxDEG10.20, TSM-xxxDEG10.25,
TSM-xxxDEG10.27, TSM-xxxDEG10.28,
TSM-xxxDEG10.29 (xxx=425-450, in steps of 5).

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:

132 cells:

TSM-xxxDEG19RC.20, TSM-xxxDEG19RC.25,
TSM-xxxDEG19RC.27, TSM-xxxDEG19RC.28,
TSM-xxxDEG19RC.29, TSM-xxxDEG19RC.B0,
TSM-xxxDEG19RC.B5, TSM-xxxDEG19RC.B7,
TSM-xxxDEG19RC.B8, TSM-xxxDEG19RC.B9,
TSM-xxxDEG19RC.20W, TSM-xxxDEG19RC.70,
(xxx=540-590, in steps of 5)

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

132 cells:

TSM-xxxDEG19R.20, TSM-xxxDEG19R.25, TSM-xxxDEG19R.27,
TSM-xxxDEG19R.28, TSM-xxxDEG19R.29, TSM-xxxDEG19R.B0,
TSM-xxxDEG19R.B5, TSM-xxxDEG19R.B7, TSM-xxxDEG19R.B8,
TSM-xxxDEG19R.B9, (xxx=540-590, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:

144 cells:

TSM-xxxDEG9RC.B0, TSM-xxxDEG9RC.B5,
TSM-xxxDEG9RC.B7, TSM-xxxDEG9RC.B8,
TSM-xxxDEG9RC.B9, TSM-xxxDEG9RC.20,
TSM-xxxDEG9RC.25, TSM-xxxDEG9RC.28,
TSM-xxxDEG9RC.27, TSM-xxxDEG9RC.29,
TSM-xxxDEG9RC.27W (xxx=395-435, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

144 cells:

TSM-xxxDEG9R.B0, TSM-xxxDEG9R.B5, TSM-xxxDEG9R.B7,
TSM-xxxDEG9R.B8, TSM-xxxDEG9R.B9, TSM-xxxDEG9R.20,

Page 7 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

TSM-xxxDEG9R.25, TSM-xxxDEG9R.27, TSM-xxxDEG9R.28,
TSM-xxxDEG9R.29, TSM-xxxDEG9R.20W, TSM-xxxDEG9R.28W
(xxx=395-435, in steps of 5)

mono series with 158.75 x 52.9 (mm) 1/3 cutting MBB bifacial cell:
252 cells:

TSM-xxxDEG15VC.20(II), TSM-xxxDEG15VC.25(II),
TSM-xxxDEG15VC.27(II), TSM-xxxDEG15VC.28(II),
TSM-xxxDEG15VC.29(II) (xxx=465-490, in steps of 5).

mono series with 157 x 157 (mm) N type MBB bifacial cell:
72 cells:

TSM-xxxNEG14C(II), TSM-xxxNEG14C.05(II),
TSM-xxxNEG14C.25(II), TSM-xxxNEG14C.07(II),
TSM-xxxNEG14C.20(II), TSM-xxxNEG14C.27(II),
TSM-xxxNEG14C.28(II), TSM-xxxNEG14C.29(II)
(xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG5C(II), TSM-xxxNEG5C.05(II), TSM-xxxNEG5C.25(II),
TSM-xxxNEG5C.07(II), TSM-xxxNEG5C.20(II), TSM-xxxNEG5C.27(II),
TSM-xxxNEG5C.28(II), TSM-xxxNEG5C.29(II) (xxx=295-305, in steps of 5).

mono series with 158.75 x 158.75 (mm) N type MBB bifacial cell:

72 cells:

TSM-xxxNEG15C(II), TSM-xxxNEG15C.05(II),
TSM-xxxNEG15C.25(II), TSM-xxxNEG15C.07(II),
TSM-xxxNEG15C.20(II), TSM-xxxNEG15C.27(II),
TSM-xxxNEG15C.28(II), TSM-xxxNEG15C.29(II)
(xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG6C(II), TSM-xxxNEG6C.05(II), TSM-xxxNEG6C.25(II),
TSM-xxxNEG6C.07(II), TSM-xxxNEG6C.20(II), TSM-xxxNEG6C.27(II),
TSM-xxxNEG6C.28(II), TSM-xxxNEG6C.29(II) (xxx=295-305, in steps of 5).

mono series with 161.7 x 161.7 (mm) N type MBB bifacial cell:

72 cells:

TSM-xxxNEG16C(II), TSM-xxxNEG16C.05(II),
TSM-xxxNEG16C.25(II), TSM-xxxNEG16C.07(II),
TSM-xxxNEG16C.20(II), TSM-xxxNEG16C.27(II),
TSM-xxxNEG16C.28(II), TSM-xxxNEG16C.29(II)
(xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG7C(II), TSM-xxxNEG7C.05(II), TSM-xxxNEG7C.25(II),
TSM-xxxNEG7C.07(II), TSM-xxxNEG7C.20(II), TSM-xxxNEG7C.27(II),
TSM-xxxNEG7C.28(II), TSM-xxxNEG7C.29(II) (xxx=295-305, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting N type MBB bifacial cell:

144 cells:

TSM-xxxNEG14MC(II), TSM-xxxNEG14MC.05(II),
TSM-xxxNEG14MC.25(II), TSM-xxxNEG14MC.07(II),
TSM-xxxNEG14MC.20(II), TSM-xxxNEG14MC.27(II),

Page 8 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Attestation of Conformity

No. N8A 070321 0127 Rev. 31

TSM-xxxNEG14MC.28(II), TSM-xxxNEG14MC.29(II)
(xxx=350-380, in steps of 5).

120 cells:

TSM-xxxNEG5MC(II), TSM-xxxNEG5MC.05(II),
TSM-xxxNEG5MC.25(II), TSM-xxxNEG5MC.07(II),
TSM-xxxNEG5MC.20(II), TSM-xxxNEG5MC.27(II),
TSM-xxxNEG5MC.28(II), TSM-xxxNEG5MC.29(II)
(xxx=295-315, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N type MBB
bifacial cell:

144 cells:

TSM-xxxNEG15MC(II), TSM-xxxNEG15MC.05(II),
TSM-xxxNEG15MC.25(II), TSM-xxxNEG15MC.07(II),
TSM-xxxNEG15MC.20(II), TSM-xxxNEG15MC.27(II),
TSM-xxxNEG15MC.28(II), TSM-xxxNEG15MC.29(II)
(xxx=350-420, in steps of 5).

120 cells:

TSM-xxxNEG6MC(II), TSM-xxxNEG6MC.05(II),
TSM-xxxNEG6MC.25(II), TSM-xxxNEG6MC.07(II),
TSM-xxxNEG6MC.20(II), TSM-xxxNEG6MC.27(II),
TSM-xxxNEG6MC.28(II), TSM-xxxNEG6MC.29(II)
(xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N type MBB
bifacial cell (Module Type for rear side with white EVA or Glass
white):

144 cells:

TSM-xxxNEG15M(II), TSM-xxxNEG15M.05(II),
TSM-xxxNEG15M.25(II), TSM-xxxNEG15M.07(II),
TSM-xxxNEG15M.20(II), TSM-xxxNEG15M.27(II),
TSM-xxxNEG15M.28(II), TSM-xxxNEG15M.29(II)
(xxx=350-420, in steps of 5).

120 cells:

TSM-xxxNEG6M(II), TSM-xxxNEG6M.05(II), TSM-xxxNEG6M.25(II),
TSM-xxxNEG6M.07(II), TSM-xxxNEG6M.20(II), TSM-xxxNEG6M.27(II),
TSM-xxxNEG6M.28(II), TSM-xxxNEG6M.29(II) (xxx=295-345, in steps
of 5).

mono series with 161.7 x 80.85 (mm) half cutting N type MBB bifacial
cell (Module Type for rear side with white EVA or white Glass):

144 cells:

TSM-xxxNEG16M(II), TSM-xxxNEG16M.05(II),
TSM-xxxNEG16M.25(II), TSM-xxxNEG16M.07(II),
TSM-xxxNEG16M.20(II), TSM-xxxNEG16M.27(II),
TSM-xxxNEG16M.28(II), TSM-xxxNEG16M.29(II)
(xxx=390-435, in steps of 5).

120 cells:

TSM-xxxNEG7M(II), TSM-xxxNEG7M.05(II),
TSM-xxxNEG7M.25(II), TSM-xxxNEG7M.07(II),
TSM-xxxNEG7M.20(II), TSM-xxxNEG7M.27(II),
TSM-xxxNEG7M.28(II), TSM-xxxNEG7M.29(II)
(xxx=325-360, in steps of 5).

mono series with 161.7 x 80.85 (mm) half cutting N type MBB bifacial

Page 9 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking.

The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

cell:

144 cells:

TSM-xxxNEG16MC(II), TSM-xxxNEG16MC.05(II),
TSM-xxxNEG16MC.25(II), TSM-xxxNEG16MC.07(II),
TSM-xxxNEG16MC.20(II), TSM-xxxNEG16MC.27(II),
TSM-xxxNEG16MC.28(II), TSM-xxxNEG16MC.29(II)
(xxx=390-415, in steps of 5).

120 cells:

TSM-xxxNEG7MC(II), TSM-xxxNEG7MC.05(II),
TSM-xxxNEG7MC.25(II), TSM-xxxNEG7MC.07(II),
TSM-xxxNEG7MC.20(II), TSM-xxxNEG7MC.27(II),
TSM-xxxNEG7MC.28(II), TSM-xxxNEG7MC.29(II)
(xxx=325-345, in steps of 5).

mono series with 210.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

150 cells:

TSM-xxxNEG18MC.20(II), TSM-xxxNEG18MC.25(II),
TSM-xxxNEG18MC.27(II), TSM-xxxNEG18MC.28(II),
TSM-xxxNEG18MC.29(II), TSM-xxxNEG18MC.30(II)
(xxx=500-520, in steps of 5).

120 cells:

TSM-xxxNEG9C.20, TSM-xxxNEG9C.25,
TSM-xxxNEG9C.27, TSM-xxxNEG9C.28,
TSM-xxxNEG9C.29
(xxx=390-430, in steps of 5).

mono series with 210.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

120 cells:

TSM-xxxNEG9.20, TSM-xxxNEG9.25,
TSM-xxxNEG9.27, TSM-xxxNEG9.28,
TSM-xxxNEG9.29
(xxx=390-430, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting N type MBB bifacial cell:

120 cells:

TSM-xxxNEG20C.20, TSM-xxxNEG20C.25,
TSM-xxxNEG20C.27, TSM-xxxNEG20C.28,
TSM-xxxNEG20C.29, TSM-xxxNEG20C.70,
TSM-xxxNEG20C.C0, (xxx=580-650, in steps of 5).

110 cells:

TSM-xxxNEG19C.20, TSM-xxxNEG19C.25,
TSM-xxxNEG19C.27, TSM-xxxNEG19C.28,
TSM-xxxNEG19C.29 (xxx=530-570, in steps of 5).

132 cells:

TSM-xxxNEG21C.20, TSM-xxxNEG21C.25,
TSM-xxxNEG21C.27, TSM-xxxNEG21C.28,
TSM-xxxNEG21C.29, TSM-xxxNEG21C.70,
(xxx=635-720, in steps of 5).

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

Page 10 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

144 cells:

TSM-xxxNEG9RC.20, TSM-xxxNEG9RC.25,
TSM-xxxNEG9RC.28, TSM-xxxNEG9RC.27,
TSM-xxxNEG9RC.29, TSM-xxxNEG9RC.B0,
TSM-xxxNEG9RC.B5, TSM-xxxNEG9RC.B8,
TSM-xxxNEG9RC.B7, TSM-xxxNEG9RC.B9,
(xxx=375-460, in steps of 5).

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

144 cells:

TSM-xxxNEG9R.20, TSM-xxxNEG9R.25,
TSM-xxxNEG9R.28, TSM-xxxNEG9R.27,
TSM-xxxNEG9R.29, TSM-xxxNEG9R.B0,
TSM-xxxNEG9R.B5, TSM-xxxNEG9R.B8,
TSM-xxxNEG9R.B7, TSM-xxxNEG9R.B9,
(xxx=375-460, in steps of 5).

mono series with 182.0 x 105.0 (mm) half cutting N type MBB bifacial cell:

132 cells:

TSM-xxxNEG19RC.20, TSM-xxxNEG19RC.25,
TSM-xxxNEG19RC.27, TSM-xxxNEG19RC.28,
TSM-xxxNEG19RC.29, TSM-xxxNEG19RC.70,
(xxx=525-620, in steps of 5).

mono series with 182.0 x 105.0 (mm) half cutting N type MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

132 cells:

TSM-xxxNEG19R.20, TSM-xxxNEG19R.25,
TSM-xxxNEG19R.27, TSM-xxxNEG19R.28,
TSM-xxxNEG19R.29, (xxx=525-620, in steps of 5).

108 cells

TSM-xxxNEG18R.20, TSM-xxxNEG18R.25,
TSM-xxxNEG18R.27, TSM-xxxNEG18R.28,
TSM-xxxNEG18R.29, (xxx=470-505, in steps of 5)

mono series with 182.0 x 91.0 (mm) or 182.2 x 91.875 (mm) half cutting N type MBB bifacial cell:

144 cells:

TSM-xxxNEG18C.20, TSM-xxxNEG18C.25,
TSM-xxxNEG18C.27, TSM-xxxNEG18C.28,
TSM-xxxNEG18C.29, (xxx=555-595, in steps of 5)

mono series with 182.2 x 91.875(mm) half cutting N type MBB bifacial cell:

156 cells:

TSM-xxxNEG20MC.20, TSM-xxxNEG20MC.25,
TSM-xxxNEG20MC.27, TSM-xxxNEG20MC.28,
TSM-xxxNEG20MC.29, (xxx=600-635, in steps of 5)

Page 11 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Attestation of Conformity

No. N8A 070321 0127 Rev. 31

mono series with 158.75 x 79.375 (mm) half cutting N type MBB bifacial cell (for cells splicing technology):

156 cells:

TSM-xxxNEG15XC(II), TSM-xxxNEG15XC.05(II),
TSM-xxxNEG15XC.25(II), TSM-xxxNEG15XC.07(II),
TSM-xxxNEG15XC.20(II), TSM-xxxNEG15XC.27(II),
TSM-xxxNEG15XC.28(II), TSM-xxxNEG15XC.29(II)
(xxx=425-445, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB bifacial HJT cell:

(Horizontal version: the long side of the cell is parallel to the long side of the module)

156 cells:

TSM-xxxHEG15XKC.203, TSM-xxxHEG15XKC.253,
TSM-xxxHEG15XKC.273, TSM-xxxHEG15XKC.283,
TSM-xxxHEG15XKC.293 (xxx=435-455, in steps of 5).

182 cells:

TSM-xxxHEG15YKC.20, TSM-xxxHEG15YKC.25,
TSM-xxxHEG15YKC.27, TSM-xxxHEG15YKC.28,
TSM-xxxHEG15YKC.29 (xxx=515-530, in steps of 5).

168 cells:

TSM-xxxHEG15VKC.20, TSM-xxxHEG15VKC.25,
TSM-xxxHEG15VKC.27, TSM-xxxHEG15VKC.28,
TSM-xxxHEG15VKC.29 (xxx=475-485, in steps of 5).

130 cells:

TSM-xxxHEG6XKC.20, TSM-xxxHEG6XKC.25,
TSM-xxxHEG6XKC.27, TSM-xxxHEG6XKC.28,
TSM-xxxHEG6XKC.29 (xxx=370-375, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB bifacial HJT cell:

(Longitudinal version: the long side of the cell is parallel to the short side of the module)

156 cells:

TSM-xxxHEG15XC.20, TSM-xxxHEG15XC.25,
TSM-xxxHEG15XC.27, TSM-xxxHEG15XC.28,
TSM-xxxHEG15XC.29 (xxx=440-460, in steps of 5).

144 cells:

TSM-xxxHEG15C.20, TSM-xxxHEG15C.25,
TSM-xxxHEG15C.27, TSM-xxxHEG15C.28,
TSM-xxxHEG15C.29 (xxx=410-425, in steps of 5).

120 cells:

TSM-xxxHEG6C.20, TSM-xxxHEG6C.25,
TSM-xxxHEG6C.27, TSM-xxxHEG6C.28,
TSM-xxxHEG6C.29 (xxx=340-350, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial HJT cell:

(Longitudinal version: the long side of the cell is parallel to the short side of the module)

132 cells:

TSM-xxxHEG21C.20, TSM-xxxHEG21C.25,
TSM-xxxHEG21C.27, TSM-xxxHEG21C.28,
TSM-xxxHEG21C.29 (xxx=640-685, in steps of 5).

Page 12 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

120 cells:

TSM-xxxHEG20C.20, TSM-xxxHEG20C.25,
TSM-xxxHEG20C.27, TSM-xxxHEG20C.28,
TSM-xxxHEG20C.29 (xxx=585-620, in steps of 5).

110 cells:

TSM-xxxHEG19C.20, TSM-xxxHEG19C.25,
TSM-xxxHEG19C.27, TSM-xxxHEG19C.28,
TSM-xxxHEG19C.29 (xxx=530-565, in steps of 5).

mono series with 157 x 31.4 (mm) 1/5 cutting cells:

336 cells:

TSM-xxxDEG5ZV(II), TSM-xxxDEG5ZV.05(II), TSM-xxxDEG5ZV.07(II),
TSM-xxxDEG5ZV.40(II), TSM-xxxDEG5ZV.47(II) (xxx=305-330, in steps
of 5).

poly series with 157 x 157 (mm) and 156 x 156 (mm) solar cells:

72 cells:

TSM-xxxPEG14, TSM-xxxPEG14.05, TSM-xxxPEG14.25, TSM-
xxxPEG14.07, TSM-xxxPEG14.20, TSM-xxxPEG14.27, TSM-
xxxPEG14.28, TSM-xxxPEG14.29, TSM-xxxPEG14.40, TSM-
xxxPEG14.47 (xxx=315-360, in steps of 5);
TSM-xxxPEG14(II), TSM-xxxPEG14.05(II), TSM-xxxPEG14.25(II),
TSM-xxxPEG14.07(II), TSM-xxxPEG14.20(II), TSM-xxxPEG14.27(II),
TSM-xxxPEG14.28(II), TSM-xxxPEG14.29(II), TSM-xxxPEG14.40(II),
TSM-xxxPEG14.47(II)
(xxx=315-360, in steps of 5).

60 cells:

TSM-xxxPEG5, TSM-xxxPEG5.05, TSM-xxxPEG5.25, TSM-
xxxPEG5.07, TSM-xxxPEG5.20, TSM-xxxPEG5.27, TSM-xxxPEG5.28,
TSM-xxxPEG5.29, TSM-xxxPEG5.40, TSM-xxxPEG5.47 (xxx=265-300,
in steps of 5);
TSM-xxxPEG5(II), TSM-xxxPEG5.05(II), TSM-xxxPEG5.25(II),
TSM-xxxPEG5.07(II), TSM-xxxPEG5.20(II), TSM-xxxPEG5.27(II),
TSM-xxxPEG5.28(II), TSM-xxxPEG5.29(II), TSM-xxxPEG5.40(II),
TSM-xxxPEG5.47(II) (xxx=265-300, in steps of 5).

poly series with 158.75 x 158.75 (mm) solar cells:

72 cells:

TSM-xxxPEG15, TSM-xxxPEG15.05, TSM-xxxPEG15.25, TSM-
xxxPEG15.07, TSM-xxxPEG15.20, TSM-xxxPEG15.27, TSM-
xxxPEG15.28, TSM-xxxPEG15.29, TSM-xxxPEG15.40, TSM-
xxxPEG15.47 (xxx=315-360, in steps of 5);
TSM-xxxPEG15(II), TSM-xxxPEG15.05(II), TSM-xxxPEG15.25(II),
TSM-xxxPEG15.07(II), TSM-xxxPEG15.20(II), TSM-xxxPEG15.27(II),
TSM-xxxPEG15.28(II), TSM-xxxPEG15.29(II), TSM-xxxPEG15.40(II),
TSM-xxxPEG15.47(II) (xxx=315-360, in steps of 5).

60 cells:

TSM-xxxPEG6, TSM-xxxPEG6.05, TSM-xxxPEG6.25, TSM-
xxxPEG6.07, TSM-xxxPEG6.20, TSM-xxxPEG6.27, TSM-xxxPEG6.28,
TSM-xxxPEG6.29, TSM-xxxPEG6.40, TSM-xxxPEG6.47 (xxx=265-300,
in steps of 5);
TSM-xxxPEG6(II), TSM-xxxPEG6.05(II), TSM-xxxPEG6.25(II),
TSM-xxxPEG6.07(II), TSM-xxxPEG6.20(II), TSM-xxxPEG6.27(II),
TSM-xxxPEG6.28(II), TSM-xxxPEG6.29(II), TSM-xxxPEG6.40(II),
TSM-xxxPEG6.47(II) (xxx=265-300, in steps of 5).

Page 13 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

poly series with 157 x 78.5 (mm) half cutting cell:

144 cells:

TSM-xxxPEG14H, TSM-xxxPEG14H.05, TSM-xxxPEG14H.25, TSM-xxxPEG14H.07, TSM-xxxPEG14H.20, TSM-xxxPEG14H.27, TSM-xxxPEG14H.28, TSM-xxxPEG14H.29, TSM-xxxPEG14H.40, TSM-xxxPEG14H.47 (xxx=330-360, in steps of 5); TSM-xxxPEG14H(II), TSM-xxxPEG14H.05(II), TSM-xxxPEG14H.25(II), TSM-xxxPEG14H.07(II), TSM-xxxPEG14H.20(II), TSM-xxxPEG14H.27(II), TSM-xxxPEG14H.28(II), TSM-xxxPEG14H.29(II), TSM-xxxPEG14H.40(II), TSM-xxxPEG14H.47(II) (xxx=330-360, in steps of 5).

120 cells:

TSM-xxxPEG5H, TSM-xxxPEG5H.05, TSM-xxxPEG5H.25, TSM-xxxPEG5H.07, TSM-xxxPEG5H.20, TSM-xxxPEG5H.27, TSM-xxxPEG5H.28, TSM-xxxPEG5H.29, TSM-xxxPEG5H.40, TSM-xxxPEG5H.47 (xxx=275-300, in steps of 5); TSM-xxxPEG5H(II), TSM-xxxPEG5H.05(II), TSM-xxxPEG5H.25(II), TSM-xxxPEG5H.07(II), TSM-xxxPEG5H.20(II), TSM-xxxPEG5H.27(II), TSM-xxxPEG5H.28(II), TSM-xxxPEG5H.29(II), TSM-xxxPEG5H.40(II), TSM-xxxPEG5H.47(II) (xxx=275-300, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting cell:

144 cells:

TSM-xxxPEG15H, TSM-xxxPEG15H.05, TSM-xxxPEG15H.25, TSM-xxxPEG15H.07, TSM-xxxPEG15H.20, TSM-xxxPEG15H.27, TSM-xxxPEG15H.28, TSM-xxxPEG15H.29, TSM-xxxPEG15H.40, TSM-xxxPEG15H.47 (xxx=340-360, in steps of 5); TSM-xxxPEG15H(II), TSM-xxxPEG15H.05(II), TSM-xxxPEG15H.25(II), TSM-xxxPEG15H.07(II), TSM-xxxPEG15H.20(II), TSM-xxxPEG15H.27(II), TSM-xxxPEG15H.28(II), TSM-xxxPEG15H.29(II), TSM-xxxPEG15H.40(II), TSM-xxxPEG15H.47(II) (xxx=340-400, in steps of 5).

120 cells:

TSM-xxxPEG6H, TSM-xxxPEG6H.05, TSM-xxxPEG6H.25, TSM-xxxPEG6H.07, TSM-xxxPEG6H.20, TSM-xxxPEG6H.27, TSM-xxxPEG6H.28, TSM-xxxPEG6H.29, TSM-xxxPEG6H.40, TSM-xxxPEG6H.47 (xxx=280-300, in steps of 5); TSM-xxxPEG6H(II), TSM-xxxPEG6H.05(II), TSM-xxxPEG6H.25(II), TSM-xxxPEG6H.07(II), TSM-xxxPEG6H.20(II), TSM-xxxPEG6H.27(II), TSM-xxxPEG6H.28(II), TSM-xxxPEG6H.29(II), TSM-xxxPEG6H.40(II), TSM-xxxPEG6H.47(II), (xxx=280-330, in steps of 5).

poly series with 157 x 78.5 (mm) half cutting MBB cell:

144 cells:

TSM-xxxPEG14M(II), TSM-xxxPEG14M.05(II), TSM-xxxPEG14M.25(II), TSM-xxxPEG14M.07(II), TSM-xxxPEG14M.20(II), TSM-xxxPEG14M.27(II), TSM-xxxPEG14M.28(II), TSM-xxxPEG14M.29(II), TSM-xxxPEG14M.40(II), TSM-xxxPEG14M.47(II) (xxx=330-360, in steps of 5).

120 cells:

TSM-xxxPEG5M(II), TSM-xxxPEG5M.05(II), TSM-xxxPEG5M.25(II),

Page 14 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

TSM-xxxPEG5M.07(II), TSM-xxxPEG5M.20(II), TSM-xxxPEG5M.27(II),
TSM-xxxPEG5M.28(II), TSM-xxxPEG5M.29(II), TSM-xxxPEG5M.40(II),
TSM-xxxPEG5M.47(II) (xxx=275-300, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting MBB cell:

144 cells:

TSM-xxxPEG15M(II), TSM-xxxPEG15M.05(II), TSM-xxxPEG15M.25(II),
TSM-xxxPEG15M.07(II), TSM-xxxPEG15M.20(II), TSM-
xxxPEG15M.27(II), TSM-xxxPEG15M.28(II), TSM-xxxPEG15M.29(II),
TSM-xxxPEG15M.40(II), TSM-xxxPEG15M.47(II)

(xxx=340-405, in steps of 5).

120 cells:

TSM-xxxPEG6M(II), TSM-xxxPEG6M.05(II), TSM-xxxPEG6M.25(II),
TSM-xxxPEG6M.07(II), TSM-xxxPEG6M.20(II), TSM-xxxPEG6M.27(II),
TSM-xxxPEG6M.28(II), TSM-xxxPEG6M.29(II), TSM-xxxPEG6M.40(II),
TSM-xxxPEG6M.47(II) (xxx=280-335, in steps of 5).

poly series with 166 x 83 (mm) half cutting MBB cell:

144 cells:

TSM-xxxPEG17MC(II), TSM-xxxPEG17MC.05(II),
TSM-xxxPEG17MC.25(II), TSM-xxxPEG17MC.07(II),
TSM-xxxPEG17MC.20(II), TSM-xxxPEG17MC.27(II),
TSM-xxxPEG17MC.28(II), TSM-xxxPEG17MC.29(II)

(xxx=410-445, in steps of 5).

120 cells:

TSM-xxxPEG8MC(II), TSM-xxxPEG8MC.05(II), TSM-xxxPEG8MC.25(II),
TSM-xxxPEG8MC.07(II), TSM-xxxPEG8MC.20(II), TSM-
xxxPEG8MC.27(II), TSM-xxxPEG8MC.28(II), TSM-xxxPEG8MC.29(II)

(xxx=350-365, in steps of 5).

poly series with 166 x 83 (mm) half cutting MBB cell:

(Module Type for rear side with white EVA or Glass white)

144 cells:

TSM-xxxPEG17M(II), TSM-xxxPEG17M.05(II), TSM-xxxPEG17M.25(II),
TSM-xxxPEG17M.07(II), TSM-xxxPEG17M.20(II), TSM-
xxxPEG17M.27(II), TSM-xxxPEG17M.28(II), TSM-xxxPEG17M.29(II)

(xxx=410-445, in steps of 5).

120 cells:

TSM-xxxPEG8M(II), TSM-xxxPEG8M.05(II), TSM-xxxPEG8M.25(II),
TSM-xxxPEG8M.07(II), TSM-xxxPEG8M.20(II), TSM-xxxPEG8M.27(II),
TSM-xxxPEG8M.28(II), TSM-xxxPEG8M.29(II) (xxx=350-365, in steps of 5).

poly series with 157 x 31.4 (mm) 1/5 cutting cells:

336 cells:

TSM-xxxPEG5ZV, TSM-xxxPEG5ZV.05, TSM-xxxPEG5ZV.07,
TSM-xxxPEG5ZV.40, TSM-xxxPEG5ZV.47

(xxx=280-300, in steps of 5).

Smart PV modules:

(Module Type with junction box TSD301xy)

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:

132 cells:

TSM-xxxDEG21C.20S (xxx=625-675, in steps of 5)

120 cells:

Page 15 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking.

The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

TSM-xxxDEG20C.20S (xxx=570-605, in steps of 5)

110 cells:

TSM-xxxDEG19C.20S (xxx=525-555, in steps of 5)

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:

132 cells:

TSM-xxxDEG19RC.20S (xxx=540-590, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:

144 cells:

TSM-xxxDEG9RC.B7S (xxx=395-435, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

144 cells:

TSM-xxxDEG9R.B0S, TSM-xxxDEG9R.B8S

(xxx=395-435, in steps of 5)

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:

150 cells:

TSM-xxxDEG18MC.20S(II) (xxx=460-510, in steps of 5)

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

150 cells:

TSM-xxxDEG18M.20S(II) (xxx=460-510, in steps of 5)

mono series with 210.0 x 105.0 (mm) half cutting N type MBB bifacial cell:

132 cells:

TSM-xxxNEG21C.20S (xxx=635-690, in steps of 5)

mono series with 182.0 x 105.0 (mm) half cutting N type MBB bifacial cell:

132 cells:

TSM-xxxNEG19RC.20S (xxx=565-595, in steps of 5)

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

144 cells:

TSM-xxxNEG9R.20S, TSM-xxxNEG9R.28S (xxx=395-445, in steps of 5)

xxx stands for rated output power at STC

Parameters:

Construction:	Framed and Frameless with Junction box, Cable and Connectors.
Safety Class:	Class II
Maximum System Voltage:	1500 V DC

Page 16 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. N8A 070321 0127 Rev. 31

Fire Safety Class:	Class C according to UL 790
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute, No. 10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P. R. China.

**Tested
according to:**

EN IEC 61730-1:2018
EN IEC 61730-2:2018
EN IEC 61730-1:2018/AC:2018-06
EN IEC 61730-2:2018/AC:2018-06

Page 17 of 17

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®